


Claims:

1. A compound of formula (I) or a pharmaceutically acceptable salt thereof:






wherein

R¹ and R² independently represent hydrogen or C₁₋₆ alkyl or R¹ is linked to R² to form a group (CH₂)₂, (CH₂)₃ or (CH₂)₄;

p represents 1 or 2;


m represents an integer from 1 to 4, when m is an integer greater than 1, two R² groups may instead be linked to form a group CH₂, (CH₂)₂ or (CH₂)₃;

Q represents a group of formula (i), (ii), (iii) or (iv):





Do
Not
Enter
These
Claims!
EB.
2/13/07

Do
Not
Emul!
EB
2/13/07



wherein [N] and [S] represent the attachment points for the groups



and respectively;

- one of X and Y represents $-N=$ and the other represents $-N(R^5)-$;
 R^3 and R^4 independently represent hydrogen, halogen, cyano, $-CF_3$, $-OCF_3$, C_{1-6} alkyl, C_{1-6} alkoxy, C_{1-6} alkanoyl or a group $-CONR^6R^7$;
 R^{3a} and R^5 independently represent hydrogen or C_{1-6} alkyl;
 R^6 and R^7 independently represent hydrogen or C_{1-6} alkyl or together may be fused to form a 5- to 7- membered aromatic or non-aromatic heterocyclic ring optionally interrupted by an O or S atom;
n and q independently represent 1 or 2;
r and s independently represent an integer from 1 to 3;
15 A represents a group $-Ar^1$ or $-Ar^2Ar^3$;
 Ar^1 , Ar^2 and Ar^3 independently represent an aryl group or a heteroaryl group, both of which may be optionally substituted by one or more (eg. 1, 2 or 3) substituents which may be the same or different, and which are selected from the group consisting of halogen, hydroxy, cyano, nitro, trifluoromethyl, trifluoromethoxy, C_{1-6} alkyl, trifluoromethanesulfonyloxy, pentafluoroethyl, C_{1-6} alkoxy, aryl/ C_{1-6} alkoxy, C_{1-6} alkylthio, C_{1-6} alkoxy/ C_{1-6} alkyl, C_{3-7} cycloalkyl/ C_{1-6} alkoxy, C_{1-6} alkanoyl, C_{1-6} alkoxy carbonyl, C_{1-6} alkylsulfonyl, C_{1-6} alkylsulfinyl, C_{1-6} alkylsulfonyloxy, C_{1-6} alkylsulfonyl/ C_{1-6} alkyl, arylsulfonyl, arylsulfonyloxy, arylsulfonyl/ C_{1-6} alkyl, C_{1-6} alkylsulfonamido, C_{1-6} alkylamido, C_{1-6} alkylsulfonamido/ C_{1-6} alkyl, C_{1-6} alkylamido/ C_{1-6} alkyl, arylsulfonamido, arylcarboxamido, arylsulfonamido/ C_{1-6} alkyl, arylcarboxamido/ C_{1-6} alkyl, aroyl, aroyl/ C_{1-6} alkyl, aryl/ C_{1-6} alkanoyl, or a group $CONR^8R^9$ or $SO_2NR^8R^9$, wherein R^8 and R^9 independently represent hydrogen or C_{1-6} alkyl or together may be fused to form a 5- to 7- membered aromatic or non-aromatic heterocyclic ring optionally interrupted by an O or S atom;
25 or solvates thereof.
30

- Do
Not
Enter
2/13/07
2. A compound according to claim 1 which is a compound of formula E1-E16 or a pharmaceutically acceptable salt thereof.
 3. A compound according to claim 1 or claim 2 for use in therapy.
 4. A compound according to claim 1 or claim 2 for use in the treatment of depression, anxiety, obesity and cognitive memory disorders.
 5. A pharmaceutical composition which comprises a compound according to claim 1 or claim 2 and a pharmaceutically acceptable carrier or excipient.